

DTF-6004Pro - 24" DTF Direct to Film Printing Machine

Features


600mm print width, faster than double heads meet the need of max production.

Machine Parameters

- Print Head: Four Epson PrecisionCore™ 13200 A1 print heads.
- Max Print Size: 600mm Print Width.
- Print Speed: 6pass: 20m²/h, 8pass: 12m²/h.



**NEW
FEATURE OF
DTF-6004Pro**



Powder Recycle-free

The automatic recycling powder configuration of the next generation DTF machine is more cost-effective than manual recycling.



Vacuum suction conveyor belt

The print material is absorbed by a vacuum adsorption conveying platform, which ensures that the material does not bulge or flow off.



Built-in Heater

Improve the ink's adherence and cure capabilities, and prevent ink bleeding at low temperatures.



Advanced White Ink Circulation System

The white ink circulatory system keeps debris from clogging the nozzle.

Machine Parameter

Brand	Arre Digibot
Model Type	DTF-6004Pro
Print Head	I3200-A1
Print Resolution	2400DPI
Max Print Speed	6pass:20m ² /H 8pass:12m ² /H
Colour Control	ICC Colour Poil with Adust Uncion
Print Width	600mm
Ink	Textile Pigment Ink
Operation Environment	Temperature 15°C~30°C, Humidity 50%~75%
Power	50Hz/60Hz 110V/220V 10~20A
System	Windows7 Or Above
Printer	(Machine Size) :1600 X 960X 1300mm(L XWxH) (Packing Size) : 1860 X 960X 760mm(LxWxH) (Net Weight) : 150KG ; (Gross Weight) : 250KG
Glue Coating System	(Machine Size): 1600X 1360 X 1200mm(L XWXH) (Packing Size; 1800 X 1000> 1400mm(L XWxH) (Net Weight): 150KG ; (Gross Weight) : 200KG
Applicable Substrate	Swimsuit, Diving Suit, High-Elasticity Suit, Cotton, Nylon, Chemical Fiber, Leather, PVC & EVA, Etc.